## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	"3937543" "5238444" "5934911" "6350155"	USPAT; EPO; JPO	OR	OFF	2008/02/13 10:28
L2	9	("5001659"   "5173837"   "5608604"   "5615259"   "6083010"   "6134121"   "6266019"   "6292980"   "6350155").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/13 11:25
L3	27	"3937543" "5238444" "5934911" "6350155"	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:32
L4	27	"3937543" "5238444" "5934911" "6350155"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 11:32
L5	256	rotary with (bearing or coupling) and "439"/\$	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:40
L6	2023	rotat\$ with (bearing or coupling) and "439"/\$ not 5	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:47
L7	265	rotat\$ with (bearing or coupling) and shaft with (hole or opening) and "439"/\$ not 5	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:48

30	rotat\$ with (bearing or coupling) and shaft adj (hole or opening) and "439"/\$ not 5	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:57
O	rotat\$ with (bearing or coupling) and shaft adj (hole or opening) with (bolt or rod) with electrical	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:59
1	rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical	USPAT; EPO; JPO	OR	OFF	2008/02/13 11:59
11	rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical	USPAT; EPO; JPO	OR	OFF	2008/02/13 12:00
8	rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current	USPAT; EPO; JPO	OR	OFF	2008/02/13 12:01
10	rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:03
	**************************************	(bearing or coupling) and shaft adj (hole or opening) and "439"/\$ not 5  O rotat\$ with (bearing or coupling) and shaft adj (hole or opening) with (bolt or rod) with electrical  1 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  11 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical  8 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current  10 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current  10 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) wi	(bearing or coupling) and shaft adj (hole or opening) and "439"/\$ not 5  0 rotat\$ with (bearing or coupling) and shaft adj (hole or opening) with (bolt or rod) with electrical  1 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  11 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  11 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical  8 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with (bolt or rod) with current  10 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current  10 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with (bolt	(bearing or coupling) and shaft adj (hole or opening) and "439"/\$ not 5  O rotat\$ with (bearing or coupling) and shaft adj (hole or opening) with (bolt or rod) with electrical  1 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  11 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  11 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical  8 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical  8 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current  10 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with	(bearing or coupling) and shaft adj (hole or opening) and "439"/\$ not 5  0 rotat\$ with (bearing or coupling) and shaft adj (hole or opening) with (bolt or rod) with electrical  1 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  1 rotat\$ with (bearing or coupling) and shaft adj3 (hole or opening) with (bolt or rod) with electrical  11 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical  8 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with electrical  8 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current  10 rotat\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with (bolt or rod

L14	0	fold\$ with (bearing or coupling) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:04
L15	0	fold\$ with (apparatus) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:04
L16	0	fold\$ with (phone) and (pole or rod) adj3 (hole or opening) with (bolt or rod) with current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:05
L17	0	fold\$ with (phone) and (pole or rod or stick) adj3 (hole or opening) with (bolt or rod) with current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:05
L18	0	fold\$ with (device) and (pole or rod or stick) adj3 (hole or opening) with (bolt or rod) with current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:05
L19	2	fold\$ with (device) and (pole or rod or stick) adj3 (hole or opening) with (bolt or rod) with (current or electrical)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:06

L20	2	fold\$ with (device) and (shaft or pole or rod or stick) adj3 (hole or opening) with (bolt or rod) with (current or electrical)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:07
L21	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	fold\$ with (device) and (shaft or pole or rod or stick) adj3 (hole or opening) with (bolt or rod) with (current or electric\$)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:08
L22	23	(rotary adj bearing and current and through).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:09
L23	127	ş •	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/13 12:12
L24	6	("5655919"   "5841069"   "6261112"   "6264487"   "6341969"   "6435886").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/13 12:16

2/13/2008 1:10:54 PM

C:\ Documents and Settings\ AGilman\ My Documents\ EAST\ workspaces \ 11599115.wsp